ELSEVIER

Journal of Magnetism and Magnetic Materials 176 (1997) 337–339

Journal of magnetism and magnetic materials

Author index to volume 176

Al-Kafarji, M., see Sena, S.P. 111
Alves, K.M.B., see Biondo, A. 272
Amann, C., see Lanchava, B. 139
Aoki, Y., see Kobayashi, Y. 164
Ariake, J., see Keitoku, T. 25
Artman, J.O., see Layadi, A. 175
Atkinson, R., see Pollard, R.J. 134
Awaji, S., see Wang, Z.J. 127

Baggio-Saitovitch, E., see Biondo, A. 272
Bai, H.L., see Wang, H.Y. 159
Baszyński, J., see Kowalczyk, A. 241
Bechert, A., see Lanchava, B. 139
Bhattacharya, A.K., see Hartridge, A. L89
Biondo, A., C. Larica, K.M.B. Alves, A.P. Guimarães and E. Baggio-Saitovitch, The effects of high-energy milling on $GdFe_2$ 272
Blythe, H.J., see Sena, S.P. 111
Booth, J.G., see Ko, K.Y. 313
Buschow, K.H.J., see Long, G.J. 217

Campbell, S.J., see Hofmann, M. 279
Chintalapudi, S.N., see Hartridge, A. L89

Das, D., see Hartridge, A. L89
De Jonge, W.J.M., see Swagten, H.J.M. 169
Diviš, M., M. Richter, J. Forstreuter, K. Koepernik and H. Eschrig, Crystal-field and magnetism of RGa_2 (R = Ce, Er) compounds derived from density-functional calculations L81

Eschrig, H., see Diviš, M. L81

Forstreuter, J., see Diviš, M. L81
Fujimori, H., see Wang, Z.J. 127
Futamoto, M., see Honda, Y. 20

Gałązka, R.R., see Łazarczyk, P. 233
Gegenfurtner, S., see Lanchava, B. 139
Gehring, G.A., see Sena, S.P. 111
Gélinas, C., see Lefebvre, L.P. L93
Grandjean, F., see Long, G.J. 217
Guimarães, A.P., see Biondo, A. 272
Guo, G., see Sun, H. 213
Guo, G.Y., Strain, interdiffusion, magnetism and magnetic anisotropy in Cu/Ni/Cu(0 0 1) sandwiches 97

Harris, I.R., see Steyaert, S. 297
Hartridge, A., A.K. Bhattacharya, M. Sengupta, C.K. Majumdar, D. Das and S.N. Chintalapudi, Crystallite size dependence on the magnetic properties of nanocrystalline magnetite powders L89
Hayashi, N., see Taguchi, R. 8
Herbich, M., see Łazarczyk, P. 233
Herbst, J.F. and F.E. Pinkerton, Model calculations of torque-induced axial magnetization in circumferentially magnetized rings: Small angle approximation 183
Hiratsuka, N., M. Nozawa and K. Kakizaki, Magnetic properties of cobalt ferrite films with perpendicular magnetic anisotropy 31
Hiratsuka, N., see Kakizaki, K. 36
Hirayama, Y., see Honda, Y. 20
Hoffmann, H., see Lanchava, B. 139
Hofmann, M., S.J. Campbell, S.J. Kennedy and X.L. Zhao, A neutron diffraction study of $LaMn_2Si_2$ (10–473 K) 279
Homma, Y., see Li, D.X. 261
Honda, K., see Kobayashi, Y. 164
Honda, N., see Keitoku, T. 25
Honda, N., see Kikawada, A. 66
Honda, Y., Y. Hirayama, K. Ito and M. Futamoto, Magnetization structures of CoCr-alloy perpendicular magnetic recording media 20
Hoshi, Y., E. Suzuki and T. Osaka, Diamond-like carbon films deposited without deposition particles of large incidence angles by sputtering 51
Hu, Z., see Long, G.J. 217

Ikeda, Y., Y. Sonobe, H. Uchida and T. Toyooka, Characterization of a thick Co–Cr perpendicular medium for a merged MR head 13
Ishikawa, K., see Taguchi, R. 8
Ito, K., see Honda, Y. 20
Iwasaki, S., see Keitoku, T. 25
Iwasaki, S., see Kikawada, A. 66

0304-8853/97/$17.00 © 1997 Elsevier Science B.V. All rights reserved

Jędrzejczak, A., see Łazarczyk, P. 233
Jiang, E.Y., see Wang, H.Y. 159
Jiang, Z.-H., see Li, M. 331

Kakizaki, K., see Hiratsuka, N. 31
Kakizaki, K., N. Hiratsuka and T. Namikawa, Fine structure of acicular $BaCo_xTi_xFe_{12-2x}O_{19}$ particles and their magnetic properties 36
Keitoku, T., J. Ariake, N. Honda, K. Ouchi and S. Iwasaki, Addition of third elements to Co–Cr media 25
Kennedy, S.J., see Hofmann, M. 279
Kikawada, A., N. Honda, K. Ouchi and S. Iwasaki, Inter-track interference free coding and equalization 66
Ko, K.Y., S. Yoon and J.G. Booth, Magnetic properties and microstructure of hot-pressed and die-upset Mischmetal–FeB–(Al) permanent magnets 313
Kobayashi, Y., K. Honda, Y. Aoki, H. Sato, T. Ono, T. Shinjo, S.A. Makhlouf, K. Sumiyama and K. Suzuki, Hall effect in Fe–Ag granular alloys 164
Koepernik, K., see Diviš, M. L81
Kolesova, I.M., see Troyanchuk, I.O. 267
Kostyuchenko, V.V. and A.K. Zvezdin, Spin-reorientation transitions in magnetic multilayers with cubic anisotropy and biquadratic exchange 155
Kotsanidis, P.A., G. Papathanassiou, J.K. Yakinthos, E. Ressouche and V.N. Nguyen, Crystal and magnetic structure of TmNiGa 255
Kovač, J., see Kowalczyk, A. 241
Kowalczyk, A., J. Baszyński, J. Kovač and A. Szlaferek, Magnetic and resistivity investigation of $Dy(Co_{1-x}Si_x)_2$ $(0 < x \leqslant 0.2)$ compounds 241
Kronmüller, H., see Leineweber, T. 145
Kuga, K., see Taguchi, R. 8

Lanchava, B., H. Hoffmann, A. Bechert, S. Gegenfurtner, C. Amann and H. Rohrmann, Anisotropic growth of magnetic domains in amorphous Fe–Tb thin films 139
Larica, C., see Biondo, A. 272
Layadi, A. and J.O. Artman, Study of antiferromagnetic coupling by ferromagnetic resonance (FMR) 175
Łazarczyk, P., T. Story, A. Jędrzejczak, R.R. Gałązka, W. Mac, M. Herbich and A. Stachow-Wójcik, Anomalous Hall effect in $Pb_{1-x-y}Sn_yMn_xTe$ and $Sn_{1-x}Mn_xTe$ semimagnetic semiconductors 233
Le Breton, J.-M., see Steyaert, S. 297
Lefebvre, L.P., S. Pelletier and C. Gélinas, Effect of electrical resistivity on core losses in soft magnetic iron powder materials L93
Leineweber, T. and H. Kronmüller, Micromagnetic examination of exchange coupled ferromagnetic nanolayers 145
Lewis, L.H., V. Panchanathan and J.-Y. Wang, Technical magnetic properties of melt-spun $(Nd_{1-x}Pr_x)_2Fe_{14}B$ at low temperature 288
Li, D.X., Y. Shiokawa, Y. Homma, A. Uesawa and T. Suzuki, Spin-glass behavior in U_2PtSi_3 261
Li, M., Z.-H. Jiang, Z.-Q. Zou and D.-F. Shen, Co–Pt alloy films with saturated remanence ratio prepared by sputtering a composite target 331
Li, Shan-dong, see Sun, Wen-sheng 307
Li, Z., see Sun, H. 213
Lindley, R.A., see Sena, S.P. 111
Liu, T.S., see Xin, Z.H. 206
Long, G.J., S.R. Mishra, O.A. Pringle, Z. Hu, W.B. Yelon, F. Grandjean, D.P. Middleton and K.H.J. Buschow, A magnetic, neutron diffraction, and Mössbauer spectral study of the $Ce_2Fe_{17-x}Ga_x$ solid solutions 217

Mac, W., see Łazarczyk, P. 233
Majumdar, C.K., see Hartridge, A. L89
Makhlouf, S.A., see Kobayashi, Y. 164
Matsushita, N., K. Noma, S. Nakagawa and M. Naoe, Excellent crystallographic and perpendicular magnetic characteristics of Ba ferrite films deposited by gas mixture of Ar, Xe and O_2 41
McCartney, S.E., see Pollard, R.J. 134
Middleton, D.P., see Long, G.J. 217
Ming, S.L., see Wang, H.Y. 159
Mira, J., Influence of the lattice parameters on the magnetic properties of the weak ferromagnetic rare-earth cuprates $(R,R')_2CuO_4$ 248
Mishra, S.R., see Long, G.J. 217
Mitsudo, S., see Wang, Z.J. 127
Miyashita, E., see Taguchi, R. 8
Motokawa, M., see Wang, Z.J. 127
Muraoka, H., see Nakashio, E. 46
Muraoka, H., see Yamada, H. 56
Muraoka, H., see Takano, K. 61
Muraoka, H., Y. Satoh and Y. Nakamura, Multi-track recording utilizing multi-level partial response 73

Nabialek, A., see Troyanchuk, I.O. 267
Nakagawa, S., see Matsushita, N. 41
Nakamura, Y., see Nakashio, E. 46
Nakamura, Y., see Yamada, H. 56
Nakamura, Y., see Takano, K. 61
Nakamura, Y., see Muraoka, H. 73
Nakashio, E., I. Watanabe, H. Muraoka and Y. Nakamura, Effects of a liquid-nitrogen shroud on the depositing of soft magnetic films 46
Nakayama, T., see Taguchi, R. 8
Namikawa, T., see Kakizaki, K. 36
Naoe, M., see Matsushita, N. 41
Nguyen, V.N., see Kotsanidis, P.A. 255
Nie, X., see Sun, H. 213
Noma, K., see Matsushita, N. 41
Nozawa, M., see Hiratsuka, N. 31
Numazawa, J. and H. Ohshima, Prospect of 1 T bits/in^3 video data storage using perpendicular magnetic recording tape 1
Numazawa, J., see Taguchi, R. 8

Ohshima, H., see Numazawa, J. 1
Ono, T., see Kobayashi, Y. 164

Osaka, T., see Hoshi, Y. 51
Ouchi, K., see Keitoku, T. 25
Ouchi, K., see Kikawada, A. 66

Panchanathan, V., see Lewis, L.H. 288
Papathanassiou, G., see Kotsanidis, P.A. 255
Pelletier, S., see Lefebvre, L.P. L93
Pinkerton, F.E., see Herbst, J.F. 183
Pollard, R.J., S.E. McCartney and R. Atkinson, Magnetoresistive measurements of sputtered Ni/Co multilayers 134
Pringle, O.A., see Long, G.J. 217

Quan, Ming-xiu, see Sun, Wen-sheng 307

Ramanathan, A., see Vaidyanathan, G. 321
Ressouche, E., see Kotsanidis, P.A. 255
Richter, M., see Diviš, M. L81
Rohrmann, H., see Lanchava, B. 139

Saito, K., see Wang, Z.J. 127
Sato, H., see Kobayashi, Y. 164
Satoh, Y., see Muraoka, H. 73
Sauer, Ch., see Sena, S.P. 111
Sekar, R., see Vaidyanathan, G. 321
Sena, S.P., R.A. Lindley, H.J. Blythe, Ch. Sauer, M. Al-Kafarji and G.A. Gehring, Investigation of magnetite thin films produced by pulsed laser deposition 111
Sengupta, M., see Hartridge, A. L89
Shen, D.-F., see Li, M. 331
Shinjo, T., see Kobayashi, Y. 164
Shiokawa, Y., see Li, D.X. 261
Sonobe, Y., see Ikeda, Y. 13
Stachow-Wójcik, A., see Łazarczyk, P. 233
Steyaert, S., J.-M. Le Breton and I.R. Harris, Microstructural investigation of oxidized Nd–Fe–B powders: Influence of particle size on the oxidation behaviour 297
Story, T., see Łazarczyk, P. 233
Strijkers, G.J., see Swagten, H.J.M. 169
Sumiyama, K., see Kobayashi, Y. 164
Sun, H., Z. Li, X. Nie and G. Guo, The annihilation of VBLs in the walls of second kind of dumbbell domains to which bias fields and in-plane fields are alternately applied 213
Sun, Wen-sheng, Shan-dong Li and Ming-xiu Quan, The effect of phase constituent on the magnetic properties for melt-spun $Nd_{15}Fe_{77}B_8$ ribbons 307
Suzuki, E., see Hoshi, Y. 51
Suzuki, K., see Kobayashi, Y. 164
Suzuki, T., see Li, D.X. 261
Swagten, H.J.M., G.J. Strijkers, G.L.J. Verschueren, M.M.H. Willekens and W.J.M. de Jonge, Interface-selective determination of spin-dependent scattering 169
Szlaferek, A., see Kowalczyk, A. 241
Szymczak, H., see Troyanchuk, I.O. 267

Taguchi, R., K. Ishikawa, E. Miyashita, N. Hayashi, K. Kuga, T. Nakayama, Y. Yoneda and J. Numazawa, The fabrication of Co–Cr–Ta/Ni–Fe double-layer tape for a high-density digital VTR 8
Takano, K., H. Muraoka and Y. Nakamura, Resolution of unshielded and shielded MR heads for perpendicular magnetic recording 61
Toyooka, T., see Ikeda, Y. 13
Trieu, H.D., Superconductivity in the t–J model with infinitely large on-site repulsion 197
Troyanchuk, I.O., I.M. Kolesova, H. Szymczak and A. Nabialek, Preparation, magnetic and transport properties of $A_{0.66}Ba_{0.34}MnO_{3-\gamma}$ (A = Pr, Nd, Sm, Eu, Gd) perovskites 267

Uchida, H., see Ikeda, Y. 13
Uesawa, A., see Li, D.X. 261

Vaidyanathan, G., R. Sekar and A. Ramanathan, Ferrothermohaline convection 321
Verschueren, G.L.J., see Swagten, H.J.M. 169

Wang, H.Y., E.Y. Jiang, Y. Wang, P. Wu, H.L. Bai and S.L. Ming, Epitaxial α''-$(Fe,Co)_{16}N_2$ films grown on NaCl(0 0 1) by facing targets sputtering 159
Wang, J.-Y., see Lewis, L.H. 288
Wang, Y., see Wang, H.Y. 159
Wang, Z.J., S. Mitsudo, K. Watanabe, S. Awaji, K. Saito, H. Fujimori and M. Motokawa, Spin-wave resonance in ferromagnetic coupled Co/Cu multilayers 127
Watanabe, I., see Nakashio, E. 46
Watanabe, K., see Wang, Z.J. 127
Wei, G.Z., see Xin, Z.H. 206
Willekens, M.M.H., see Swagten, H.J.M. 169
Wu, P., see Wang, H.Y. 159

Xin, Z.H., G.Z. Wei and T.S. Liu, Magnetic properties of ground state in diluted mixed-spin Ising ferrimagnetic systems 206

Yakinthos, J.K., see Kotsanidis, P.A. 255
Yamada, H., H. Muraoka and Y. Nakamura, A study of perpendicular magnetic recording characteristics with magnetoresistive head 56
Yelon, W.B., see Long, G.J. 217
Yoneda, Y., see Taguchi, R. 8
Yoon, S., see Ko, K.Y. 313

Zhao, X.L., see Hofmann, M. 279
Zou, Z.-Q., see Li, M. 331
Zvezdin, A.K., see Kostyuchenko, V.V. 155

ELSEVIER

Journal of Magnetism and Magnetic Materials 176 (1997) 340–341

journal of magnetism and magnetic materials

Subject index to volume 176

AC magnetic properties L93
Additive metals 25
Alloy films 331
Aluminum chamber 46
Anisotropy 313
– perpendicular 31, 41
Anomalous Hall effect 233
Antiferromagnetic coupling 175

Band theory 97

Co–Cr–Ta tape 8
Cobalt 134, 331
Coercivity 288, 307
Collective reading 66
Composite 183
Convection 321
Critical temperature 197
Cryogenic behavior 288
Crystal structure 255
Crystal-field interaction 206
Crystal-field theory L81
Curie temperature 241

Data coding 73
Demagnetization field 13
Density-functional calculations L81
Digital VTR 8
Diluted magnetic semiconductors 233
Diluting 206

Effective-field theory 206
EL process 46
Electrical conductivity L93
Electrical properties L93
Electrical resistivity L93, 241
Energy product 307
Equalization 66
Exchange coupling 145
Exchange interactions 233
Extraordinary Hall effect 164

Facing targets sputtering 31
Ferromagnetic resonance 175
Ferrimagnetism 217
Fine structure 36
FMR 127

Giant magnetoresistance 164, 169
Granular alloys 164

Hall effect 233
Hard domain 213
Hexagonal barium ferrite 36
High-energy milling 272
Hyperfine field 272

Information storage 1, 73
Inter-track interference 66
Interface phenomena 97
Interlayer exchange coupling 127
Iron L93
Ising model 206

Kinetic parameters 297

Laser ablation 111
Lattice parameters 248
Laves phase 241
Laves phase compounds 272
Linear stability 321
Liquid-nitrogen shroud 46
Loss L93

Magnetic anisotropy 97
Magnetic domains 139
Magnetic fluid 321
Magnetic force microscopy 20
Magnetic phase diagram 279
Magnetic property 159
Magnetic recording 66
– multi-track 73
– perpendicular 1, 41, 56, 61
Magnetic recording head
– magnetoresistive 13, 61
Magnetic recording media
– perpendicular 20, 46
– tape 1
Magnetic relaxation 261
Magnetic structure 255, 279
Magnetic susceptibilities 248
Magnetic transitions 267
Magnetisation reversal modes 145
Magnetite 111
Magnetization 241, 261, 307
Magnetization mechanism 36
Magnetization structure 20
Magneto-optics 331
Magnetocrystalline anisotropy L81
Magnetoresistance 134, 267
Magnetoresistive head 56
Magnetostriction 97, 183
Medium thickness 13
Micromagnetics 145
Microstructure 313
Mössbauer effect 217, 297
Mössbauer spectroscopy L89
Multi-track 66
Multilayers 1, 97, 127, 134, 155
Multilayer film 175

Nanocrystals L89
Nanolayers 145
Nanomaterial 288
Nd–Fe–B magnets 297
Nd–Fe–B powders 297
Neutron diffraction 217, 279
Ni–Fe under layer 8
Nickel 134

Orthogonal code 66
Oxidation 297
Oxygen diffusion 297

Particle
– acicular 36

Particles L93
Permanent magnet 288, 307, 313
Permeability L93
Perovskites 267
Perpendicular coercivity 25
Perpendicular magnetic anisotropy 139
Perpendicular magnetic recording 8
Perpendicular recording 13
Phase constituent 307
Phase transition 155
Platinum 331
Post-annealing 31
Powder L93

Rare earth alloys 313
Rare earth–intermetallic compounds 272
Rare-earth intermetallics L81
Rare-earth ternary compounds 255
Recording characteristics 31
Rietveld refinement 279
Saturation magnetization 25
Scaling relation 164
Self-shadowing effect 51
Semimagnetic semiconductors 233
Signal response
– partial 73
Soft magnetic materials L93
Specific heat 261
Spin glass 261
Spin reorientation 155, 288
Spin valve 169
Spin-dependent scattering 169
Spin-wave resonance 127
Sputter deposition
– low temperature 41
Sputtering 51, 139
Sputtering film 159
Structure 159
Substitution effects 248, 313
Superconductivity
– singlet 197
– triplet 197

t–J model 197
TEM observation 36
Thin film 139
– cobalt ferrite 31
– diamond-like carbon 51
– ferrite 41
Thin films 111
Torque sensor 183

Ultra-high hardness 51

Vertical Bloch line 213
Verwey transition 111
Video data 1

Weak ferromagnetism 248

X-ray diffraction L89